POOLTEC SPA/HOME/PUBLIC

DESCRIPTION

- ✓ IoT multifunction panel for the control and dosage of pH, redox, chlorine, temperature.
- Proportional dosing of chemicals through MP2-B / MP2-HT mA / ME3 mA numps
- Automatic operating: automatic adjustment of pH, redox, chlorine, water temperature, recirculation pump and all programmed outputs.
- ✓ Manual operating: manual adjustment of all functions.
- Winter function (NOFROST): automatic activation of the recirculation pump to prevent the formation of ice.
- ✓ Instant display of the pH value (0 ÷ 14 pH), Redox (0 ÷ 1000 mV), chlorine (0 ÷ 20 ppm), temperature (° C / ° F), detected through the various configurable probes.
- ✓ mA outputs: up to 2 mA outputs fully programmable on the 0/4 ÷ 20 mA range useful for managing mA pumps.
- Programmable powered outputs: a total of 5 programmable powered outputs.
- Programmable dry relay outputs: 5 programmable relay outputs (voltage free contact).
- Alarms: greater safety thanks to numerous automatic alarms on all controlled parameters.
- Alarm email: automatic sending of emails to the desired addresses in case of an alarm.
- 3 protected programming levels (password): user (free) for basic settings, expert (password) to access more complex settings and installer (changeable password) to access device configurations.
- Recirculation pump management / control: automatic adjustment of the filtration pump (management of filtering hours based on the water temperature or based on pre-set programs).
 Operating status check.
- ✓ Pool cover detection function
- ✓ Lighting management: programmable switching ON/ OFF for pool lighting.
- ✓ History of the measurements of the previous months.
- Geo localization: useful function for the installer to locate the customer more quickly.
- Multi-language menu: operating system available in various languages (Italian, English, Spanish, French, German, Dutch, Russian).
- Quick installation user manual: quick installation guide.
 Complete user manual available online.
- ✓ Help on device: quick explanation of each function within the menu.
- Flow sensor: automatic alarm that alerts and disables all outlets in case of no water flow in the pipes.
- Level probe predisposition: automatic alarm that warns in case of exhaustion of the chemical product in the tank.
- Predisposition for anti-limescale system: ecological anti-limescale system using magnetic fields.
- ✓ Wifi / ethernet connection: communication with the server to manage information on the pooltec-pro platform.
- ✓ Web control: server for managing records, communications, and updates.
- Android / iOS app: via the Android / iOS app it is possible to remotely control all the parameters and alarms of the pool.
- ✓ Display touchscreen 10".
- ✓ Easy access to the connection compartment: easy opening with practical locking system.
- ✓ Power Supply 230 Vac 50 Hz.
- ✓ Power cable with Schuko plug.
- ✓ IP 65 protection degree
- √ 100 % Made in Italy
- ✓ In compliance with CE regulations














1/3

POOLTEC SPA/HOME/PUBLIC


MODEL	CONFIGURATIONS		
POOLTEC PANEL SPA PH+REDOX	рН РИМР <i>MP2-В 0,1 L/Н</i>	REDOX PUMP MP2-B 0,2 L/H	
POOLTEC PANEL SPA PH+CHLORINE	р Н РИМР MP2-B 0,1 L/H	CHLORINE PUMP MP2-B 0,2 L/H	
POOLTEC PANEL HOME PH+REDOX	pH PUMP MP2-HT mA 3 L/H	REDOX PUMP MP2-HT mA 6 L/H	
POOLTEC PANEL HOME PH+CHLORINE	pH PUMP MP2-HT mA 3 L/H	CHLORINE PUMP MP2-HT mA 6 L/H	1 2
POOLTEC PANEL HOME PH+REDOX	pH PUMP ME3 mA 5 L/H 10 bar	REDOX PUMP ME3 mA 10 L/H 2 bar	
POOLTEC PANEL HOME PH+CHLORINE	pH PUMP ME3 mA 5 L/H 10 bar	CHLORINE PUMP ME3 mA 10 L/H 2 bar	
POOLTEC PANEL PUBLIC PH+REDOX	pH PUMP ME3 mA 10 L/H 2 bar	REDOX PUMP ME3 mA 24 L/H 1 bar	3
POOLTEC PANEL PUBLIC PH+CHLORINE	pH PUMP ME3 mA 10 L/H 2 bar	CHLORINE PUMP ME3 mA 24 L/H 1 bar	





2/3

POOLTEC SPA/HOME/PUBLIC



ACCESSORIES KIT (BUY SEPARATELY)				
#			5	
FLOW SENSOR	LEVEL PROBE	ECOLOGICAL ANTI-LIMESCALE	SADDLE CLAMPS Ø50 / 63	



3/3